SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: DE BOER, MARK CONROY, LEAH B.
- (ii) TITLE OF INVENTION: METHODS OF BLOCKING B-CELL ACTIVATION USING ANTI-CD40 MONOCLONAL ANTIBODIES
- (iii) NUMBER OF SEQUENCES: 7
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: CHIRON CORPORATION
 - (B) STREET: 4560 Horton Street, R-440
 - (C) CITY: Emeryville
 - (D) STATE: California
 - (E) COUNTRY: USA
 - (F) ZIP: 94608-2916
- (v) COMPUTER READABLE FORM:

ų,

4D

ũ

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/070,158
 - (B) FILING DATE: 28-MAY-1993
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: McGarrigle, Philip L.
 - (B) REGISTRATION NUMBER: 31,395
 - (C) REFERENCE/DOCKET NUMBER: 0925.003
- ik) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (510) 601-2718
 - (B) TELEFAX: (510) 655-3542
 - (C) TELEX: n/a
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 50 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: DNA (genomic)
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

GATCCACCAT GGAGCTCGAG ATCTAGAATT CTGCAGCCCG GGTACCGATC

(2) INFORMATION FOR SEQ ID NO:2:

50

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 27 base pairs (3) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2: GCGCTGCAGC ATCTGAAGCC ATGGGCC 27 (2) INFORMATION FOR SEQ ID NO:3: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 27 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear Ü ű (ii) MOLECULE TYPE: DNA (genomic) = (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3: <u>o</u>n CGCGGTACCT TGCTTCTGCG GACACTG 27 (2) INFORMATION FOR SEQ ID NO:4: <u>ļ</u>4 (i) SEQUENCE CHARACTERISTICS: Ð (A) LENGTH: 61 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (ix) FEATURE: (A) NAME/KEY: misc_feature (B) LOCATION: $11..\overline{40}$ (D) OTHER INFORMATION: /note= "The underlining represents an epitope recognized by a monoclonal antibody used for affinity purification." (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4: GCGCGGTACC TTACTCCATG GGCATGTATT CCTCTTCCTC GTTATCAGGA AAATGCTGTT 50 G 61 (2) INFORMATION FOR SEQ ID NO:5: (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 32 base pairs

	(3) TYPE: hecleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	
GCG	TAGATCT GGTCTCACCT CGCCATGGTT CG	32
14 17.72 141 5	INFORMATION FOR SEQ ID NO:6:	
	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 34 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
ui Ui	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	
₫ÇG:	TGGTACC CCACACTCCT GGGTGGGTGC AGCC	34
(2) (2)	INFORMATION FOR SEQ ID NO:7:	- 4
	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 61 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
[] ļå	(ii) MOLECULE TYPE: DNA (genomic)	
	<pre>(ix) FEATURE: (A) NAME/KEY: misc_feature (B) LOCATION: 1140 (D) OTHER INFORMATION: /note= "The underlining represents</pre>	· .
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
GCGT	GGTACC TTACTCCATG GGCATGTATT CCTCTTCCTC ATCAGTCTTG TTTGTGCCTG	60
C		60
	·	6 3